PETITION FOR EXTENSION OF TIME UNDER 37 CFR 1.136(a)				Docket Number 853463.465USPC		
FY 2009 (Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).)						
Application Number 10/554,020				Filed	October 21, 2005	
For QUADRATURE MODULATOR AND CALIBRATION METHOD						
Art Unit 2611				Exami Khai T		
This is a request under the provisions of 37 CFR 1.136(a) to extend the period for filing a reply in the above identified application.						
The requested extension and fee are as follows (check time period desired and enter the appropriate fee below):						
		<u>Fee</u>	Small Er	ntity Fee		
	One month (37 CFR 1.17(a)(1))	\$130	\$6	55	\$ <u>130</u>	
	Two months (37 CFR 1.17(a)(2))	\$490	\$2	45	\$	
	Three months (37 CFR 1.17(a)(3))	\$1110	\$5	55	\$	
	Four months (37 CFR 1.17(a)(4))	\$1730	\$8	65	\$	
	Five months (37 CFR 1.17(a)(5))	\$2350	\$11	75	\$	
	Applicant claims small entity status. See 37 CFR 1.27.					
	A check in the amount of the fee is enclosed.					
	Payment by credit card. Form PTO-2038 is attached.					
The Director has already been authorized to charge fees in this application to a Deposit Account.						
X	The Director is hereby authorized to charge the above fees, or credit any overpayment,					
	to Deposit Account Number <u>19-1090</u> .					
WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.						
I am the applicant/inventor.						
assignee of record of the entire interest. See 37 CFR 3.71						
Statement under 37 CFR 3.73(b) is enclosed (Form PTO/SB/96).						
	attorney or agent of record. Registration No					
	■ attorney or agent under 37 CFR 1.34.					
Registration number if acting under 37 CFR 1.34. 31,800.						
	/E. Russell Tarleton/			October 13, 2008		
	Signature			Date		
				206-622-4900		
	Typed or printed name		Teleph	one Nu	mber	
NOTE	: Signatures of all the inventors or assignees of reco	rd of the entire ir	nterest or their	represe	entative(s) are required.	